Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	303	(notif\$4 indicat\$3 display\$3 icons) with (packet near2 (loss lost miss\$3)) with (user terminal device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/25 14:54
L2	114	(notif\$4 display\$3 icons) with (packet near2 (loss lost miss\$3)) with (user terminal device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/25 14:59
L3	128	(notif\$4 display\$3 icons) with (packet near2 (dropp\$3 loss lost miss\$3)) with (user terminal device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/25 15:13
L4	397	(notif\$4 display\$3 icons) near5 (qos service agreement\$2 sla quality) near10 (user terminal device) and (packet near2 (dropp\$3 loss lost miss\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/25 15:14
L5	397	((notif\$4 display\$3 icons) near5 (qos service agreement\$2 sla quality) near10 (user terminal device)) and (packet near2 (dropp\$3 loss lost miss\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/25 15:15
L6	24	((notif\$4 display\$3 icons) near5 (qos service agreement\$2 sla quality) near10 (user terminal device)) same (packet near2 (dropp\$3 loss lost miss\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/25 15:15
L7	24	((notif\$4 display\$3 icons) near5 (qos service agreement\$2 sla quality) near10 (phone user terminal device)) same (packet near2 (dropp\$3 loss lost miss\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/25 15:28
L8	318	((notif\$4 display\$3 icons) near5 (qos service agreement\$2 sla quality) near5 (phone user terminal device)) and (packet near2 (dropp\$3 loss lost miss\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR .	ON	2007/10/25 15:29

L9	, ,	(((notif\$4 display\$3 icons) near5 (qos service agreement\$2 sla quality) near5 (phone user terminal device)) and (packet near2 (dropp\$3 loss lost miss\$3))) and phone	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/25 15:36
L10	195	(((notify notifying notified notification displaying displayed display icons) near5 (qos service agreement\$2 sla quality) near5 (phone user terminal device)) and (packet near2 (dropp\$3 loss lost miss\$3))) and phone	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/25 15:38
L17	2	"20050276235".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 16:36
L18	, 2	. "20050157174".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:06
L19	766	(display) near5 (icon mark) near5 (level variation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON.	2007/10/25 17:08
L20	3	(display\$3) near5 (icon mark) near5 (level variation) with (phone)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:11
L21	17	(display\$3) near5 (icon mark) near5 (level variation) same (phone)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:34

122		(hash samuals '6 1' - \	110 000:10	00	T	2007/10/25
L22	3	(test sample verification) with packet with (fee charg\$3 bill\$3) same phone	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:04
L23	2	"20040058652"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 18:02
L24	. 12	conceal near10 (silent silence)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 18:03
L25	0	conceal near10 (silent silence) near20 packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 18:03
L26	4	conceal same (silent silence) near20 packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 18:03
L27		(test\$3 sampl\$3 verification verified verify\$3) with packet with (fee charg\$3 bill\$3 pay\$3) same phone	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:06
L28	38	(test\$3 sampl\$3 verification verified verify\$3) with packet with (fee charg\$3 bill\$3 pay\$3) and phone	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:06

			Ţ"·	· · · · · · · · · · · · · · · · · · ·		
L29	2	"5960328".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/10/25 19:33
S1	1	10/568509.app.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 10:10
S2	4	"6307974".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 10:10
S3	1	"6307974".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/22 10:45
S4	1	"5960328".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/22 10:49
S5	22	((detect\$3 receiv\$3) near3 packet near3 loss) same ((evaluat\$3 analyz\$3 notif\$4) near3 (apparatus device user caller terminal))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/23 08:23
S6	12	((evaluat\$3 analyz\$3 notif\$4 index) near3 (apparatus device user caller terminal) near3 packet near1 loss)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/22 13:21
S7		((evaluat\$3 analyz\$3 notif\$4 index\$3 display\$3 show\$3) near3 (apparatus device user caller terminal) near3 packet near1 loss)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/22 17:14

S8	2	((notif\$4 index\$3 display\$3 show\$3) near3 (message symbol mark image) near5 (apparatus device user caller terminal phone) near3 packet near1 loss)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/22 14:29
S9	1	(packet near loss) with phone with display	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:15
S10	54	((evaluat\$3 analyz\$3 notif\$4 index\$3 display\$3 show\$3) near3 (packet near1 loss)) near10 (apparatus device user caller terminal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/22 17:17
S11	39	(((evaluat\$3 analyz\$3 notif\$4 index\$3 display\$3 show\$3) near3 (packet near1 loss)) near10 (apparatus device user caller terminal)) and ((detect\$3 receiv\$3) near3 (packet near loss))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/22 17:18
S12	. 23	(((evaluat\$3 analyz\$3 notif\$4 index\$3 display\$3 show\$3) near3 (packet near1 loss)) near10 (apparatus device user caller terminal)) and ((detect\$3 receiv\$3) near3 (packet near loss) near10 (apparatus device user caller terminal))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/22 17:33
S13	44	(((advice\$3 notif\$4 index\$3 display\$3 show\$3) near3 (packet near1 loss)) near10 (apparatus device user caller terminal))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR ,	ON	2007/10/22 17:49
S14	. 4	(((advice\$3 notif\$4 index\$3 display\$3 show\$3) near3 (packet near1 loss)) near10 (apparatus device user caller terminal)) same (mark symbol image sound message light)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/22 17:40
S15	13	(((advice\$3 notif\$4 index\$3 display\$3) near3 (packet near1 loss)) near10 (apparatus device user caller terminal))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR .	ON	2007/10/22 18:16

S16	34	(((notif\$4 index\$3 display\$3) near3 (received near power)) near10 (apparatus device user caller terminal phone))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/22 18:16
S17	5	(((advice\$3 notif\$4 index\$3 display\$3) near3 (packet near1 loss)) near10 (phone telephone user caller))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/22 18:17
S18	738	(((advice\$3 notif\$4 index\$3 display\$3) near3 (qos packet)) near10 (phone telephone user caller))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/22 18:18
S19	6	(((advice\$3 notif\$4 index\$3 display\$3) near3 (qos packet)) near10 (phone telephone user caller)) same (packet near loss)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/22 18:19
S20	. 46	(((advice\$3 notif\$4 index\$3 display\$3) near3 (qos packet)) near10 (phone telephone user caller)) and (packet near loss)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/22 18:19
S21	6	((detect\$3 receiv\$3 evaluat\$3 analyz\$3) near3 packet) same ((display\$3 notif\$4) near3 (packet near2 loss) near15 (apparatus device user caller terminal))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/23 09:54
S22	12	((detect\$3 receiv\$3 evaluat\$3 analyz\$3) near3 packet) same ((display\$3 notif\$4) near3 (packet near2 loss) same (apparatus device user caller terminal))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/23 09:59
S23		(monitor near3 (packet near2 loss)) with (display\$3 notify\$4) with (user terminal apparatus device phone caller calling)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/23 10:01

	ı		Ţ			
S24	2	((monitor near3 (qos quality parameter)) with (display\$3 notify\$4) with (user terminal apparatus device phone caller calling)) same (qos ("quality of service"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/23 10:04
S25	3	((monitor near3 (qos quality parameter packet)) with (display\$3 notify\$4) with (user terminal apparatus device phone caller calling)) same (packet near2 loss)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/23 13:42
S26	167	(((monitor\$3 notify\$4 display\$3) near3 (values data qos quality parameter packet)) with (user terminal apparatus device phone caller calling)) same (packet near2 loss)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/23 13:44
S27	. 18	(((monitor\$3 notify\$4 display\$3) near3 (values data gos quality parameter packet)) with (user terminal apparatus device phone caller calling)) same (packet near2 loss) same (image message mark symbol)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/23 14:04
S28	3	(((notify\$4 display\$3) near3 (packet near1 loss)) with (user terminal apparatus device phone caller calling)) same (packet near2 loss) same (image message mark symbol)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/23 14:11
S29	9	(((notify\$4 display\$3) near3 (packet near1 loss)) with (user terminal apparatus device phone caller calling)) same (packet near2 loss)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/23 14:10
S30	74	(((indicat\$3) near3 (packet near1 loss)) with (user terminal apparatus device phone caller calling)) same (packet near2 loss)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/23 14:15
S31	7	(((notify\$4 display\$3 indicat\$3) near3 (packet near1 loss)) with (user terminal apparatus device phone caller calling)) same (packet near2 loss) same (image message mark symbol)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/23 14:11

·			T			1
S32	17	(((indicat\$3) near3 (packet near1 loss)) with (user))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/23 14:18
S33	65	(((indicat\$3) near3 (packet near1 loss)) with (user terminal device))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/23 14:19
S34	48	(((indicat\$3) near3 (packet near1 loss)) near10 (user terminal device))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/23 14:21
S35	0	(((indicat\$3) near3 (packet near1 loss)) near10 (user terminal device)) same (display\$3 audio sound)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/23 14:20
S36	8	(transmit\$3 send\$3) with (packet) with (test) with (price charg\$3 fee)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/24 11:34
S37	72	(transmit\$3 send\$3) with (packet data) with (test) with (price charg\$3 fee)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/24 11:35
S38	13	(transmit\$3 send\$3) near4 (packet data) near5 (test) near10 (price charg\$3 fee)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/24 11:44
S39	8	("20050114500".pn. "20040242203".pn. "20040085898". pn. "20040058652".pn. "7116683". pn. "6665291".pn. "6253249".pn. "5588009".pn.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/24 15:07

S40	0	"10811215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/24 15:08
S41	1	10/811215.app.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/25 14:52